ELSEVIER

Journal of Materials Processing Technology 135 (2003) 382

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 135

Antunes Simões, J.F.C.P., 235
Arif, A., 6
Aspinwall, D., 301
Atkinson, H.V., 271

Balendra, R., 204, 211, 219
Bentzen, J.J., 271
Bergheau, J.-M., 109
Bewlay, B.P., 324
Blackburn, S., 284
Blais, S., 271
Botten, A.J., 284
Brown, D.N., 358
Burbidge, A.S., 284
Butler, E.G., 137

Cai, J., 278
Cardona, A., 30
Chakkingal, U., 59
Chelule, K.L., 242
Chen, F.L., 1
Chen, Y., 347
Chen, Y.W., 340
Cheshire, D.G., 235, 242
Chiarmetta, G., 271
Cho, H.Y., 375
Chodnikiewicz, K., 204
Choi, J., 317
Coldwell, H., 301
Coole, T.J., 235, 242
Cui, Y.Y., 179

De Wilde, A.M., 312
Dean, T.A., 278
Debel, C.P., 271
Dewes, R., 301
Dong, L.M., 179
Dupasquier, A., 83

Fachinotti, V.D., 30

Gebelin, J.-C., 291
Gendraud, P., 109
Giese, A., 271
Gigliotti, M.F.X., 324
Giordano, P., 271
Gondal, M.A., 6
Gopalakrishnan, M.V., 228
Graham, I.D., 44
Gutfleisch, O., 358

Hardwicke, C.U., 324
Harris, C., 189, 197
Hashmi, K., 44
Hatayama, T., 75
Hill, P.S., 131
Hinz, D., 358
Hu, Z.M., 278

Jia, Q., 179
Jo, C.Y., 375
Jolly, M.R., 189, 197, 291
Jones, S., 258
Jung, Y.J., 158

Kaibyshev, O.A., 324
Kang, C.G., 144, 158
Kapranos, P., 271
Karabay, S., 101
Kaya, C., 137
Khan, Z.A., 59
Kim, B.M., 366
Kim, D.H., 366
Kim, M.H., 375
Kirchner, A., 358
Kirkwood, D.H., 271
Ko, D.C., 366
Kobryn, P.A., 330
Kopp, R., 317
Koshy, P., 301
Krishnamurthy, R., 228

Lasa, L., 271
Laslaz, G., 271
Lee, S.B., 366
Li, P., 347
Li, Q., 189, 197
Loose, M., 247
Luyten, J., 312

Ma, B.-M., 358
Maeda, Y., 172
Maenner, L., 271
Makino, H., 172
Malayappan, S., 18
Male, A.T., 340, 347
Marin-Ayral, R.M., 91
Maruoka, Y., 172
Matsugi, K., 75
Mei, J., 266
Merlet, C., 91
Metzgar, K., 228
Mills, B., 44
Min, G.S., 375
Mynors, D.J., 247

Narayanasamy, R., 18
Neudenberger, D., 317
Nomura, H., 172

Pan, C., 340
Pascal, C., 91
Paul, M., 301
Peng, X., 211
Pires, A.R., 235

Qin, Y., 211, 219

Rheinlander, J.T., 271
Ridley, N., 131
Rodriguez-Ibabe, J.M., 271
Rosetta, D., 228
Rosochowska, M., 125, 204
Rosochowski, A., 125
Roux, J.-C., 109

Sahoo, K.L., 253
Salischev, G.A., 324
Samuel, M., 117
Semiatin, S.L., 330
Seo, P.K., 144
Shuja, S.Z., 6
Siores, E., 1
Sivaramakrishnan, C.S., 253
Smith, C.J., 189, 197
Somoza, A., 83
Stone, E.R.H., 278
Syakagohri, K., 75
Syrcos, G.P., 68

Tédenac, J.C., 91
Todd, R.I., 131
Toft, P.T., 271

Utyashev, F.Z., 324

Vandeperre, L.J., 312
Venugopal, P., 59

Wang, Y., 75
Woods, R., 301
Wu, X., 266

Yanagisawa, O., 75
Yang, R., 179
Yilbas, B.S., 6
Yilmaz, M., 101
Youn, S.W., 158
Yuan, C., 258

Zeren, M., 101
Zhang, Y., 347
Zhang, Y.M., 340

Elsevier Science B.V.
PII: S0924-0136(03)00268-1

ELSEVIER

Journal of Materials Processing Technology 135 (2003) 383–387

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 135

Abrasive
The effect of cutting jet variation on surface striation formation in abrasive water jet cutting, 1
Age-hardening
Positron studies of solute aggregation in age-hardenable aluminum alloys, 83
Al–8.3Fe–0.8V–0.9Si alloy
Some studies on Al–8.3Fe–0.8V–0.9Si alloy for near net shape casting, 253
Alloy
Some studies on Al–8.3Fe–0.8V–0.9Si alloy for near net shape casting, 253
Alumina
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
Aluminium
Some aspects on barrelling in aluminium solid cylinders during cold upset forging using a die with constraints, 18
Aluminium scrap
A new technique for recycling aluminium scrap, 117
Aluminium-cutting
Vibrations and stresses in band saws. A review of literature for application to the case of aluminium-cutting high-speed band saws, 109
Aluminum alloys
Positron studies of solute aggregation in age-hardenable aluminum alloys, 83
Aluminum extrusion
Analysis of forming loads, microstructure development and mechanical property evolution during equal channel angular extrusion of a commercial grade aluminum alloy, 59
Autoclave
Advances in shell moulding for investment casting, 258
Automotive applications
Thixoforming of an automotive part in A390 hypereutectic Al–Si alloy, 271

Backward extrusion
Near net shape production of radially oriented NdFeB ring magnets by backward extrusion, 358
Band saw
Vibrations and stresses in band saws. A review of literature for application to the case of aluminium-cutting high-speed band saws, 109

Carbon steel
Data selection for turning carbon steel using a fuzzy logic approach, 44
Casting
Some studies on Al–8.3Fe–0.8V–0.9Si alloy for near net shape casting, 253
Ceramic
Increasing yield during the manufacture of semi-finished extruded products, 247
Ceramic components
Gelatin gelcasting of ceramic components, 312
Channel depth geometry
A model to predict the pressure development in single screw extrusion, 284
Coefficient
Measurements of thermal contact conductance, 204
Cold forming
Process design of the cold forging of a billet by forward and backward extrusion, 375
Cold ironing
An exercise in cold ironing as the post-forging operation for net-shape manufacture, 278
Cold upset forging
Some aspects on barrelling in aluminium solid cylinders during cold upset forging using a die with constraints, 18
Colloidal
Advances in shell moulding for investment casting, 258
Complex shapes
Net-shape manufacturing of aircraft engine disks by roll forming and hot die forging, 324
Compressor component
Horizontal reheating of aluminum alloys and semi-solid casting for a near net shape compressor component, 158
Constitutive model
FE analysis of springback and secondary yielding effect during forward extrusion, 211
Constraints
Some aspects on barrelling in aluminium solid cylinders during cold upset forging using a die with constraints, 18
Continuous casting
Constitutive models of steel under continuous casting conditions, 30
Cutting
The effect of cutting jet variation on surface striation formation in abrasive water jet cutting, 1

Data
Data selection for turning carbon steel using a fuzzy logic approach, 44
De-airing
Gelatin gelcasting of ceramic components, 312
Deep drawing
Process design and forming analysis of a permalloy shielding can for instrument clusters, 366
Die casting process
Die casting process optimization using Taguchi methods, 68
Die design
Finite element investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part I. Effect of pocket angle and volume on metal flow, 189
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197

Elsevier Science B.V.
PII: S0924-0136(03)00269-3

Diffusion bonding (DB)
Mechanism of the HIP bonding of Zircaloy-4 in the α-phase field, 131
Direct conversion
A new technique for recycling aluminium scrap, 117
Direct extrusion
Increasing yield during the manufacture of semi-finished extruded products, 247
Distinct element method
Squeeze molding simulation using the distinct element method considering green sand properties, 172
Drilling
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301

Economic analysis
Net-shape manufacturing of aircraft engine disks by roll forming and hot die forging, 324
EDM/HSM
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301
Electric discharge process
Application of electric discharge process in joining aluminum and stainless steel sheets, 75
Equal channel angular extrusion
Analysis of forming loads, microstructure development and mechanical property evolution during equal channel angular extrusion of a commercial grade aluminum alloy, 59
Extrude alloy AA-6063
Investigation extrusion ratio effect on mechanical behaviour of extruded alloy AA-6063, 101
Extrusion
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
Finite element investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part I. Effect of pocket angle and volume on metal flow, 189
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197
FE analysis of springback and secondary yielding effect during forward extrusion, 211
Optimisation of the lubrication for the extrusion of solid and tubular components by injection forging, 219
Extrusion ratio
Investigation extrusion ratio effect on mechanical behaviour of extruded alloy AA-6063, 101

FDM
Application of electric discharge process in joining aluminum and stainless steel sheets, 75
FE simulation
FE analysis of springback and secondary yielding effect during forward extrusion, 211
Optimisation of the lubrication for the extrusion of solid and tubular components by injection forging, 219
FEM
Finite element investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part I. Effect of pocket angle and volume on metal flow, 189
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197
Finite element method
Dimensional effects in the warm calibration of a stainless steel cylinder, 125
Forward and backward extrusion
Process design of the cold forging of a billet by forward and backward extrusion, 375
Friction
Optimisation of the lubrication for the extrusion of solid and tubular components by injection forging, 219
Fuzzy logic
Data selection for turning carbon steel using a fuzzy logic approach, 44

Gelcasting
Gelatin gelcasting of ceramic components, 312
Geometry
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197
Green sand
Squeeze molding simulation using the distinct element method considering green sand properties, 172
Green strength
Advances in shell moulding for investment casting, 258

Heat
Measurements of thermal contact conductance, 204
Heat transfer
Modelling of the investment casting process, 291
High speed milling
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301
High temperature properties
Constitutive models of steel under continuous casting conditions, 30
HIP bonding
Mechanism of the HIP bonding of Zircaloy-4 in the α-phase field, 131
Horizontal-type induction heating system
Horizontal reheating of aluminum alloys and semi-solid casting for a near net shape compressor component, 158
Hot isostatic pressing
Combustion synthesis: a new route for repair of gas turbine components—achievements and perspectives for development of SHS rebuilding, 91
HRO
Investigation extrusion ratio effect on mechanical behaviour of extruded alloy AA-6063, 101
Hydroxyapatite
An investigation into the machinability of hydroxyapatite for bone restoration implants, 242
Hypereutectic
Thixoforming of an automotive part in A390 hypereutectic Al–Si alloy, 271

Injection Forging
Optimisation of the lubrication for the extrusion of solid and tubular components by injection forging, 219
Interface
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
Intermetallics
Combustion synthesis: a new route for repair of gas turbine components—achievements and perspectives for development of SHS rebuilding, 91
Investment casting
Advances in shell moulding for investment casting, 258
Modelling of the investment casting process, 291

Joining
Application of electric discharge process in joining aluminum and stainless steel sheets, 75

Combustion synthesis: a new route for repair of gas turbine components—achievements and perspectives for development of SHS rebuilding, 91

Laser
Laser-shock processing of steel, 6
Near net shape manufacturing of components using direct laser fabrication technology, 266
Lightweight aluminum castings
Horizontal reheating of aluminum alloys and semi-solid casting for a near net shape compressor component, 158
Liquid metal filtration
Modelling of the investment casting process, 291
Liquid segregation
The effect of gate shape on the filling limitation in the semi-solid forging process and the mechanical properties of the products, 144
Lubrication
Optimisation of the lubrication for the extrusion of solid and tubular components by injection forging, 219
Increasing yield during the manufacture of semi-finished extruded products, 247

Machinability
An investigation into the machinability of hydroxyapatite for bone restoration implants, 242
Materials
Constitutive models of steel under continuous casting conditions, 30
Mechanical properties
Thixoforming of an automotive part in A390 hypereutectic Al–Si alloy, 271
Metal flow
Finite element investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part I. Effect of pocket angle and volume on metal flow, 189
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197
Microstructure
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
Near net shape manufacturing of components using direct laser fabrication technology, 266
Microstructure and texture evolution during solidification processing of Ti–6Al–4V, 330
Modelling
Mechanism of the HIP bonding of Zircaloy-4 in the α-phase field, 131
Mold properties
Squeeze molding simulation using the distinct element method considering green sand properties, 172
Molding simulation
Squeeze molding simulation using the distinct element method considering green sand properties, 172
Moulds
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301
Multi-axis milling
Analysis of multi-axis milling in an anthropomorphic robot, using the design of experiments methodology, 235

Nano-size sol
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
Near net shape
Structural characterisation and strength evaluation of spray formed ceramic composite near-net shapes, 228
Near net shape production of radially oriented NdFeB ring magnets by backward extrusion, 358
Net-shape forming
Dimensional effects in the warm calibration of a stainless steel cylinder, 125
Net-shape manufacture
An exercise in cold ironing as the post-forging operation for net-shape manufacture, 278
Neural network
Process design and forming analysis of a permalloy shielding can for instrument clusters, 366
Nickel
Net-shape manufacturing of aircraft engine disks by roll forming and hot die forging, 324
Non-ferrous metals and alloys
Near net shape manufacturing of components using direct laser fabrication technology, 266

Offset
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197
Optimal injection conditions
Horizontal reheating of aluminum alloys and semi-solid casting for a near net shape compressor component, 158
Organic fibre
Advances in shell moulding for investment casting, 258
Orthogonal array
Process design and forming analysis of a permalloy shielding can for instrument clusters, 366
Oxidation
Alloy development and shell mould casting of gamma TiAl, 179

Peak-to-valley
An investigation into the machinability of hydroxyapatite for bone restoration implants, 242
Permalloy
Process design and forming analysis of a permalloy shielding can for instrument clusters, 366
Photocurable resins
Weld deposition-based rapid prototyping: a preliminary study, 347
Plasma-jet forming
Rapid prototyping of sheet metal components by plasma-jet forming, 340
Plaster
Analysis of multi-axis milling in an anthropomorphic robot, using the design of experiments methodology, 235
Pocket
Finite element investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part I. Effect of pocket angle and volume on metal flow, 189
Finite element modelling investigations upon the influence of pocket die designs on metal flow in aluminium extrusion. Part II. Effect of pocket geometry configurations on metal flow, 197
Polymer
Advances in shell moulding for investment casting, 258
Positron annihilation
Positron studies of solute aggregation in age-hardenable aluminum alloys, 83
Power law creep
Mechanism of the HIP bonding of Zircaloy-4 in the α-phase field, 131
Power law factor
Simple compression test and simulation of an Sn–15% Pb alloy in the semi-solid state, 317

Pre-form
Process design of the cold forging of a billet by forward and backward extrusion, 375
Press tools
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301
Pressure development
A model to predict the pressure development in single screw extrusion, 284
Process design
Process design of the cold forging of a billet by forward and backward extrusion, 375
Process modelling
Modelling of the investment casting process, 291
Prototyping
Rapid prototyping of sheet metal components by plasma-jet forming, 340
Pulse discharge
Application of electric discharge process in joining aluminum and stainless steel sheets, 75

Rapid machining
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301
Rapid prototyping
Weld deposition-based rapid prototyping: a preliminary study, 347
Recycling
A new technique for recycling aluminium scrap, 117
Repair
Combustion synthesis: a new route for repair of gas turbine components—achievements and perspectives for development of SHS rebuilding, 91
Resistance heat
Application of electric discharge process in joining aluminum and stainless steel sheets, 75
Rheology
Modelling of the investment casting process, 291
Rigid plastic finite element method
Process design of the cold forging of a billet by forward and backward extrusion, 375
Ring magnets
Near net shape production of radially oriented NdFeB ring magnets by backward extrusion, 358
Robot
Analysis of multi-axis milling in an anthropomorphic robot, using the design of experiments methodology, 235
Roll forming
Net-shape manufacturing of aircraft engine disks by roll forming and hot die forging, 324

Sawing process
Vibrations and stresses in band saws. A review of literature for application to the case of aluminium-cutting high-speed band saws, 109
Secondary yielding
Dimensional effects in the warm calibration of a stainless steel cylinder, 125
FE analysis of springback and secondary yielding effect during forward extrusion, 211
Self-propagating high-temperature synthesis
Combustion synthesis: a new route for repair of gas turbine components—achievements and perspectives for development of SHS rebuilding, 91
Semi-solid die casting
Horizontal reheating of aluminum alloys and semi-solid casting for a near net shape compressor component, 158
Semi-solid forging
The effect of gate shape on the filling limitation in the semi-solid forging process and the mechanical properties of the products, 144
Semi-solid forming
Simple compression test and simulation of an Sn–15% Pb alloy in the semi-solid state, 317
Semi-solid materials
The effect of gate shape on the filling limitation in the semi-solid forging process and the mechanical properties of the products, 144
Sheet laminates
Application of electric discharge process in joining aluminum and stainless steel sheets, 75
Sheet metal components
Rapid prototyping of sheet metal components by plasma-jet forming, 340
Shell mould casting
Alloy development and shell mould casting of gamma TiAl, 179
Shock hardening
Laser-shock processing of steel, 6
Simple compression test
Simple compression test and simulation of an Sn–15% Pb alloy in the semi-solid state, 317
Single screw extrusion
A model to predict the pressure development in single screw extrusion, 284
Sn–15% Pb alloys
Simple compression test and simulation of an Sn–15% Pb alloy in the semi-solid state, 317
Sol-based paste
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
Solidification processing
Microstructure and texture evolution during solidification processing of Ti–6Al–4V, 330
Springback
FE analysis of springback and secondary yielding effect during forward extrusion, 211
Squeeze molding
Squeeze molding simulation using the distinct element method considering green sand properties, 172
Stainless steel
Dimensional effects in the warm calibration of a stainless steel cylinder, 125
Steel
Laser-shock processing of steel, 6
Steel constitutive models
Constitutive models of steel under continuous casting conditions, 30
Strength evaluation
Structural characterisation and strength evaluation of spray formed ceramic composite near-net shapes, 228
Stresses
Vibrations and stresses in band saws. A review of literature for application to the case of aluminium-cutting high-speed band saws, 109
Stress–strain curve
Simple compression test and simulation of an Sn–15% Pb alloy in the semi-solid state, 317
Structural characterisation
Structural characterisation and strength evaluation of spray formed ceramic composite near-net shapes, 228
Superalloys
Combustion synthesis: a new route for repair of gas turbine components—achievements and perspectives for development of SHS rebuilding, 91

Surface quality
An investigation into the machinability of hydroxyapatite for bone restoration implants, 242

Taguchi method
Die casting process optimization using Taguchi methods, 68
Tapping
Rapid machining of hardened AISI H13 and D2 moulds, dies and press tools, 301
Test-piece
An exercise in cold ironing as the post-forging operation for net-shape manufacture, 278
Texture evolution
Microstructure and texture evolution during solidification processing of Ti–6Al–4V, 330
Thermal fatigue
Alloy development and shell mould casting of gamma TiAl, 179
Thixoforming
Thixoforming of an automotive part in A390 hypereutectic Al–Si alloy, 271
Three-step reheating process
The effect of gate shape on the filling limitation in the semi-solid forging process and the mechanical properties of the products, 144
TiAl alloy
Alloy development and shell mould casting of gamma TiAl, 179
Titanium
Net-shape manufacturing of aircraft engine disks by roll forming and hot die forging, 324
Tool wear
An investigation into the machinability of hydroxyapatite for bone restoration implants, 242
Total quality management
Die casting process optimization using Taguchi methods, 68
Transfer
Measurements of thermal contact conductance, 204

UHSC
Investigation extrusion ratio effect on mechanical behaviour of extruded alloy AA-6063, 101

Vibrations
Vibrations and stresses in band saws. A review of literature for application to the case of aluminium-cutting high-speed band saws, 109

Warm forming
Dimensional effects in the warm calibration of a stainless steel cylinder, 125
Water
The effect of cutting jet variation on surface striation formation in abrasive water jet cutting, 1
Weld deposition processing
Weld deposition-based rapid prototyping: a preliminary study, 347

Yield
Increasing yield during the manufacture of semi-finished extruded products, 247

Zircaloy-4
Mechanism of the HIP bonding of Zircaloy-4 in the α-phase field, 131
Zirconia
Near net-shape manufacturing of alumina/zirconia high temperature ceramics with fine scale aligned multiphase microstructures using co-extrusion, 137
α-Zirconium
Mechanism of the HIP bonding of Zircaloy-4 in the α-phase field, 131